

25 Jan

Work Order ID 154177***154177***

Page 1

Tuesday, December 06, 2016 1:19:09 PM

Item ID: D119-827-011

Accept

N900040100Setup Start ***NS1***

Revision ID:

Stop ***NS2***

Item Name: Tail Rotor Pedal Lockout

Start Date: 11/29/2016 Start Qty: 2.00

2

Cust Item ID:

Required Date: 12/6/2016 Req'd Qty: 2.00

2

Customer:

Reference:

Approvals: Process Plan: DAS Date: DEC 08 2016 Tooling: _____ Date: _____
 QC: 21 Date: _____ SPC (Y/N): _____ Date: _____
9-89

Run Start ***NR1***Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
Draw Nbr	Revision Nbr	JAN 10 2017							
IIN-D119-827	D								
100	Document Control	0.00							
100	DOCUMENT CONTROL								
DC	Memo	0.00							
Doc.Control -USB or Paperwork	Photocopy bluefile & type labels per PPP D119-827-011	CHG002							
110	Pick Kit	0.00							
110									
Packaging	Memo	0.00							
Packaging									
120	QC4- 100% Inspect kits for completeness	0.00							
120									
QC	Memo	0.01							
Quality Control									

DAS 21 9-89
2x28 9-89
JAN 23 2017
 1701-20

DAS 6 9-89
DAS 27 9-89
2 JAN 23 2017

DAS 28 9-89
2x28 9-89
JAN 25 2017

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐																																																													
Date :		Step #:		QTY Effective :				MRB (QSI042) Approval																																																									
Description Work Order Deviation				Disposition				Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval																																																									
Root Cause		FAULT CATEGORY																																																															
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐	Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐	Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐	Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐	Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐	Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐	Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐	Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐	LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐	Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐	Past Expiry Date ☐	Manufacturing Process ☐	OTHER :			
Misidentified ☐	Past Due ☐																																																																

Work Order ID 154177

Tuesday, December 06, 2016 1:19:09 PM

154177

Page 2

Item ID: D119-827-011

Accept

N900040100

Setup Start

NS1

Revision ID:

Stop

NS2

Item Name: Tail Rotor Pedal Lockout

Start Date: 11/29/2016 Start Qty: 2.00

2

Cust Item ID:

Required Date: 12/6/2016 Req'd Qty: 2.00

2

Customer:

Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____

Run Start

NR1

QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Stop

NR2

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
130	Packaging	0.00							
130									
Packaging	Memo	0.00							
Packaging	Identify and pack for shipping as per PPP D119-827-011 Location: <u>Eg 121</u>								
140	QC21- Final Inspection - Work Order Release	0.00							
140									
QC	Memo	0.03							
Quality Control									

JAN 25 2017

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval 		
Description Work Order Deviation				Disposition					
							Completed By		
							Lead hand / Supervisor Approval Verification		
							QC / QA Coordinator Approval		

Root Cause				FAULT CATEGORY			
Environment ☐	☐ No Re-verification	☐ Pressure/Forced	☐ Temperature/Cure	☐ Power Loss/Surge	☐ Positioned Wrong		
Design ☐	☐ Operator	☐ Bending	☐ Set-up	☐ Folio/Program	☐ Outside Dimensions		
Doc/Data ☐	☐ Offset/Setup	☐ Centre Not Concentric	☐ BOM/Route	☐ Grain	☐ Over/Under tolerance		
Equip/Tooling ☐	☐ Supplier	☐ Cracks	☐ Broken/Damage/Defect	☐ Weld	☐ Part Incorrect		
Handling/Pre ☐	☐ Training	☐ Crimp/Kink/Ripple/Wave	☐ Inspection Incomplete/Unqualified	☐ Wrong Stock Pulled	☐ Part Lost/Missing		
Material ☐	☐ Use for Testing	☐ Cuffs	☐ Contamination	☐ Out of Sequence	☐ Part Moved		
Internal Transport ☐	☐ Poor Information	☐ Crushing	☐ Countersink	☐ Off-set	☐ Drawing		
Tribal Knowledge ☐	☐ Rushing	☐ Heat Treat	☐ Cut Too Short	☐ Mislabeled	☐ Finish		
LOA ☐	☐ Product Improvement	☐ Wave/Twist in Tube	☐ Instructions Incomplete/Unclear	☐ Fit/Function	☐ Misread		
Substation ☐	☐ Process Improvement	☐ Marks/Chatter	☐ Drill Holes	☐ Misaligned/off center	☐ Turning Sequence		
Past Expiry Date ☐	☐ Manufacturing Process	OTHER :					
Misidentified ☐	☐ Past Due						

Picklist Print

Tuesday, December 06, 2016 1:19:08 PM

Page 1

Work Order ID: 154177

154177

Parent Item: D119-827-011

D119-827-011

Parent Item Name: Tail Rotor Pedal Lockout

Start Date: 11/29/2016

Required Date: 12/6/2016

Start Qty: 2.00

Required Qty: 2.00

Comments: IPP REV:A 12.10.16 AS PER DWG REV.A DD VERF:JFS IPP
REV:B 13-01-09 REV B JLM VERIFIED:DD IPP REV:C
12.10.16 as per CHG002 (ecn 13-538) DD VERF:JFS

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
D4704-041 *D4704-041* Expandable Pin Assembly		Manufactured	No			110	Each	0.0000	1	2			
D4703-041 *D4703-041* Lock Pin Assembly		Manufactured	No			110	Each	1.0000	2	4			
				<u>Location</u>				<u>Loc Qty</u>		<u>Loc Code</u>			
				ST119				1					
				151356				1					
D4710-1 *D4710-1* Spacer		Manufactured	No			110	Each	16.0000	1	2			
				<u>Location</u>				<u>Loc Qty</u>		<u>Loc Code</u>			
				ST120				16					
				140172				16					
D4721-1 *D4721-1* Decal		Manufactured	No			110	Each	6.0000	1	2			
				<u>Location</u>				<u>Loc Qty</u>		<u>Loc Code</u>			
				ST121				6					
				152615				6					

3

DAS 6 9-89
145937
JAN 2 4 2017

DAS 6 9-89
3x B1557E1
JAN 2 3 2017
JAN 2 4 2017

DAS 6 9-89
JAN 2 3 2017

DAS 6 9-89
2
JAN 2 3 2017

11/8/2017

DQA: _____ Date: _____

WORK ORDER NON-CONFORMANCE / UPDATE



QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐							
Date :		Step #:		QTY Effective :				MRB (QSI042) Approval			
Description Work Order Deviation				Disposition				Completed By			
Root Cause				FAULT CATEGORY							
Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐		No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐		Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐		Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐		Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐	
OTHER : ☐											

Picklist Print

Tuesday, December 06, 2016 1:19:08 PM

Page 2

Work Order ID: 154177

Parent Item: D119-827-011

Parent Item Name: Tail Rotor Pedal Lockout

154177

D119-827-011

Start Date: 11/29/2016

Required Date: 12/6/2016

Start Qty: 2.00

Required Qty: 2.00

AN4-11A

Purchased

No

110

Each

167.0000

2 4

AN4-11A

BOLT

DAS
28
9-89

Location

Loc Qty

Loc Code

FG	20	
120731	20	
over003	100	
M136263	100	
ST344	47	
M136259	47	

**

JAN 23 2017

DAS
6
9-89

DAS
27
9-89

MS14144L4

Purchased

No

110

Each

17.0000

2 4

MS14144L4

Nut

DAS
28
9-89

Location

Loc Qty

Loc Code

ST316	17	
m132680	2	
m136182	15	

**

JAN 23 2017

DAS
6
9-89

DAS
27
9-89

MS24665-153

Purchased

No

110

Each

53.0000

2 4

MS24665-153

Cotter Pin

DAS
28
9-89

Location

Loc Qty

Loc Code

ST289	53	
107139	53	

**

JAN 23 2017

DAS
6
9-89

DAS
27
9-89

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐																																																													
Date :		Step #:		QTY Effective :				MRB (QSI042) Approval																																																									
Description Work Order Deviation				Disposition				Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval																																																									
Root Cause		FAULT CATEGORY																																																															
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐	Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐	Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐	Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐	Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐	Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐	Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐	Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐	LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐	Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐	Past Expiry Date ☐	Manufacturing Process ☐	OTHER :			
Misidentified ☐	Past Due ☐																																																																

Picklist Print

Tuesday, December 06, 2016 1:19:08 PM

Work Order ID: 154177

154177

Parent Item: D119-827-011

D119-827-011

Parent Item Name: Tail Rotor Pedal Lockout

Start Date: 11/29/2016

Required Date: 12/6/2016

Start Qty: 2.00

Required Qty: 2.00

NAS1149D0416J

Purchased

No

110

Each

4,003.000

2

4

NAS1149D0416.J

WASHER

DAS
28
9-89

Location

Loc Qty

Loc Code

GA

43

m131511

43

ST260a

2492

m131511

2492

ST264

1468

m131511

1468

NAS1149D0463J

Purchased

No

110

Each

3,375.000

8

16

NAS1149D0463.J

Washer

DAS
28
9-89

Location

Loc Qty

Loc Code

GA

80

M134508

13

M135056

67

ST260a

1200

M136192

600

M136263

600

ST263

2095

M135671

3

M135948

492

M136044

1600

NAS6604D16

Purchased

No

110

Each

31.0000

2

4

NAS6604D16

Bolt

DAS
28
9-89

Location

Loc Qty

Loc Code

ST551

20

m136318

20

st552

11

m134955

11

JAN 23 2017
DAS 6 9-89
DAS 27 9-89

JAN 23 2017
DAS 6 9-89
DAS 27 9-89

136466 JAN 23 2017

JAN 23 2017
DAS 6 9-89
DAS 27 9-89

DQA: _____ Date: _____

WORK ORDER NON-CONFORMANCE / UPDATE



QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date :	Step #:	QTY Effective :		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition		Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐			
OTHER : ☐					

4.0 PARTS LIST

-011	Part Number	Description
X	D119-827-011	TAIL ROTOR PEDAL LOCKOUT
1	D4704-041	EXPANDABLE PIN ASSY
2	D4703-041	LOCKOUT PIN ASSY
1	D4710-1	SPACER
1	D4721-1	DECAL
2	AN4-11A	BOLT
2	MS14144L4	NUT
2	MS24665-153	COTTER PIN
2	NAS1149D0416J	WASHER
8	NAS1149D0463J	WASHER
2	NAS6604D16	BOLT

5.0 WEIGHT AND BALANCE

The following are the net weight increases associated with D119-827-011 kit.

Installation	Weight	Longitudinal		Lateral	
		Arm	Moment	Arm	Moment
D119-827-011 ON A109/A119 MODELS	0.52 lb 0.23 kg	32.6 in 0.83 m	16.9 in-lb 0.19 m-kg	-13.1 in -0.33 m	-6.8 in-lb -0.08 m-kg
D119-827-011 ON 206/407 MODELS	0.52 lb 0.23 kg	33.0 in 0.84 m	17.2 in-lb 0.19 m-kg	-12.5 in -0.32 m	-6.5 in-lb -0.07 m-kg